



# CATERPILLAR SELECTOR GUIDE

Updated 04.16.24

Truck Model Compartment Size - Connector Info	Volt	Battery Description	Model Number	Ah	Kwh	Length / Width / Height			Tray #	Item #	Lbs	Cover	List Price 4-1-2024	TriCOM Charger Conventional 480VAC/3 Phase	TriCOM Charger Opportunity 480VAC/3 Phase	Multi-VAC Charger Conventional 208/240/480VAC 3 Phase
<b>CLASS III</b>																
<b>NPP40</b> 29.38 x 8.80 x 25.25 - SB175 Gray B/12 -- 200 lbs	24	12-90-07 Tubular Flex AQUAsave	12-90TA-07	270	6.29	25.36	8.61	23.25	1209007-22509	235100001	580	Y	\$3,027	TriCOM 12-24/130		TriCOM FR 24V/100
		12-100-07 Tubular Flex EC	12-100TE-07	300	6.98	25.36	8.61	23.25	1209007-22509	210100001	584	Y	\$3,122	TriCOM 12-24/130		TriCOM FR 24V/100
<b>NPP60 (13")</b> 31.50 x 13.44 x 24.00 - SB175 Gray B/18 -- 575 lbs	24	12-90-13 Tubular Flex AQUAsave	12-90TA-13	540	12.58	30.61	12.71	23.63	1209013-23113	235100003	991	Y	\$4,062	TriCOM 12-24/130	TriCOM 12-24/130	TriCOM FR 24V/100
		12-100-13 Tubular Flex EC	12-100TE-13	600	13.97	30.61	12.71	23.63	1209013-23113	210100003	1010	Y	\$4,533	TriCOM 12-24/130	TriCOM 12-24/260	TriCOM FR 24V/100
<b>NPP60 (9")</b> 32.00 x 9.19 x 24.00 - SB175 Gray B/18 -- 575 lbs	24	12-90-07 Tubular Flex AQUAsave	12-90TA-07	270	6.29	25.36	8.61	23.25	1209007-22509	235100001	580	Y	\$3,027	TriCOM 12-24/130		TriCOM FR 24V/100
		12-100-07 Tubular Flex EC	12-100TE-07	300	6.98	25.36	8.61	23.25	1209007-22509	210100001	584	Y	\$3,122	TriCOM 12-24/130		TriCOM FR 24V/100
<b>NDC100/NPC60/NPC80/NPV60/NPV80</b> 31.50 x 13.44 x 24.00 - SB175 Gray B/18 -- 825 lbs	24	12-90-13 Tubular Flex AQUAsave	12-90TA-13	540	12.58	30.61	12.71	23.13	1209013-23113	235100003	991	Y	\$4,062	TriCOM 12-24/130	TriCOM 12-24/130	TriCOM FR 24V/100
		12-100-13 Tubular Flex EC	12-100TE-13	600	13.97	30.61	12.71	23.13	1209013-23113	210100003	1010	Y	\$4,533	TriCOM 12-24/130	TriCOM 12-24/260	TriCOM FR 24V/100
<b>NRP30/NSP30/NSP40</b> 31.90 x 13.40 x 24.00 - SB175 Gray B/18 -- 975 lbs	24	12-90-13 Tubular Flex AQUAsave	12-90TA-13	540	12.58	30.61	12.71	23.13	1209013-23113	235100003	991	Y	\$4,062	TriCOM 12-24/130	TriCOM 12-24/130	TriCOM FR 24V/100
		12-100-13 Tubular Flex EC	12-100TE-13	600	13.97	30.61	12.71	23.13	1209013-23113	210100003	1010	Y	\$4,533	TriCOM 12-24/130	TriCOM 12-24/260	TriCOM FR 24V/100
<b>WP4500/WP6000</b> 26.25 x 8.86 x 23.23 - SB175 Gray A/18 -- 221 lbs	24	12-90-07 Tubular Flex AQUAsave	12-90TA-07	270	6.29	25.36	8.61	23.25	1209007-22509	235100001	580	Y	\$3,027	TriCOM 12-24/130		TriCOM FR 24V/100
		12-100-07 Tubular Flex EC	12-100TE-07	300	6.98	25.36	8.61	23.25	1209007-22509	210100001	584	Y	\$3,122	TriCOM 12-24/130		TriCOM FR 24V/100
<b>WP4500L</b> 31.26 x 8.70 x 26.02 - SB175 Gray A/18 -- 220 lbs	24	12-90-07 Tubular Flex AQUAsave	12-90TA-07	270	6.29	25.36	8.61	23.25	1209007-22509	235100001	580	Y	\$3,027	TriCOM 12-24/130		TriCOM FR 24V/100
		12-100-07 Tubular Flex EC	12-100TE-07	300	6.98	25.36	8.61	23.25	1209007-22509	210100001	584	Y	\$3,122	TriCOM 12-24/130		TriCOM FR 24V/100
<b>2WP4500/2WP6000</b> 25.75 x 9.37 x 26.57 - SB175 Gray B/18 -- 154 lbs	24	12-90-07 Tubular Flex AQUAsave	12-90TA-07	270	6.29	25.36	8.61	23.25	1209007-22509	235100001	580	Y	\$3,027	TriCOM 12-24/130		TriCOM FR 24V/100
		12-100-07 Tubular Flex EC	12-100TE-07	300	6.98	25.36	8.61	23.25	1209007-22509	210100001	584	Y	\$3,122	TriCOM 12-24/130		TriCOM FR 24V/100
<b>2WPL4500</b> 32.25 x 9.37 x 26.57 - SB175 Gray B/18 -- 375 lbs	24	12-90-07 Tubular Flex AQUAsave	12-90TA-07	270	6.29	25.36	8.61	23.25	1209007-22509	235100001	580	Y	\$3,027	TriCOM 12-24/130		TriCOM FR 24V/100
		12-100-07 Tubular Flex EC	12-100TE-07	300	6.98	25.36	8.61	23.25	1209007-22509	210100001	584	Y	\$3,122	TriCOM 12-24/130		TriCOM FR 24V/100
<b>WP6000L/WR30/WR40</b> 31.97 x 13.58 x 30.98 - SB175 Gray A/18 -- 970 lbs	24	12-90-13 Tubular Flex AQUAsave	12-90TA-13	540	12.58	30.61	12.71	23.13	1209013-23113	235100003	991	Y	\$4,062	TriCOM 12-24/130	TriCOM 12-24/130	TriCOM FR 24V/100
		12-100-13 Tubular Flex EC	12-100TE-13	600	13.97	30.61	12.71	23.13	1209013-23113	210100003	1010	Y	\$4,533	TriCOM 12-24/130	TriCOM 12-24/260	TriCOM FR 24V/100
<b>WC27M/WC36M/WT45M</b> 33.10 x 13.60 x 31.60 - SB175 Red A/20 -- 855 lbs (w/o rollers) 30.90 x 13.20 x 31.60 - SB175 Red A/20 -- 855 lbs (with rollers)	24	12-90-13 Tubular Flex AQUAsave	12-90TA-13	540	12.51	30.61	12.71	23.13	1209013-23113	235100003	991	Y	\$4,062	TriCOM 12-24/130	TriCOM 12-24/130	TriCOM FR 24V/100
		12-100-13 Tubular Flex EC	12-100TE-13	600	13.9	30.61	12.71	23.13	1209013-23113	210100003	1010	Y	\$4,533	TriCOM 12-24/130	TriCOM 12-24/260	TriCOM FR 24V/100
		12-125-13 Tubular Flex AQUAsave	12-125TA-13	750	17.46	30.61	12.71	30.63	1212513-23113	235100004	1337	Y	\$5,380	TriCOM 12-24/130	TriCOM 12-24/260	TriCOM FR 24V/120
		12-140-13 Tubular Flex EC	12-140TE-13	840	19.56	30.61	12.71	30.6	1212513-23113	210100004	1371	Y	\$6,119	TriCOM 12-24/130	TriCOM 12-24/260	TriCOM FR 24V/140
<b>WR27M/WR36M</b> 32.00 x 13.20 x 31.60 - SB175 Red A/20 -- 900 lbs (w/o rollers) 31.00 x 13.20 x 31.60 - SB175 Red A/20 -- 900 lbs (with rollers)	24	12-90-13 Tubular Flex AQUAsave	12-90TA-13	540	12.51	30.61	12.71	23.13	1209013-23113	235100003	991	Y	\$4,062	TriCOM 12-24/130	TriCOM 12-24/130	TriCOM FR 24V/100
		12-100-13 Tubular Flex EC	12-100TE-13	600	13.9	30.61	12.71	23.13	1209013-23113	210100003	1010	Y	\$4,533	TriCOM 12-24/130	TriCOM 12-24/260	TriCOM FR 24V/100
		12-125-13 Tubular Flex AQUAsave	12-125TA-13	750	17.46	30.61	12.71	30.63	1212513-23113	235100004	1337	Y	\$5,380	TriCOM 12-24/130	TriCOM 12-24/260	TriCOM FR 24V/120
		12-140-13 Tubular Flex EC	12-140TE-13	840	19.56	30.61	12.71	30.6	1212513-23113	210100004	1371	Y	\$6,119	TriCOM 12-24/130	TriCOM 12-24/260	TriCOM FR 24V/140
<b>WR6000/WR8000/2WPL6000</b> 31.97 x 13.58 x 30.98 - SB175 Gray B/18 -- 933 lbs	24	12-90-13 Tubular Flex AQUAsave	12-90TA-13	540	12.58	30.61	12.71	23.13	1209013-23113	235100003	991	Y	\$4,062	TriCOM 12-24/130	TriCOM 12-24/130	TriCOM FR 24V/100
		12-100-13 Tubular Flex EC	12-100TE-13	600	13.97	30.61	12.71	23.13	1209013-23113	210100003	1010	Y	\$4,533	TriCOM 12-24/130	TriCOM 12-24/260	TriCOM FR 24V/100
<b>SS3000/SS3500</b> 28.20 x 11.00 x 23.60 - SB175 Gray B/18 -- 510 lbs	24	12-90-07 Tubular Flex AQUAsave	12-90TA-07	270	6.29	25.36	8.61	23.25	1209007-22509	235100001	580	N	\$3,027	TriCOM 12-24/130		TriCOM FR 24V/100
		12-100-07 Tubular Flex EC	12-100TE-07	300	6.98	25.36	8.61	23.25	1209007-22509	210100001	584	N	\$3,122	TriCOM 12-24/130		TriCOM FR 24V/100

Truck Model Compartment Size - Connector Info	Volt	Battery Description	Model Number	Ah	Kwh	Length / Width / Height			Tray #	Item #	lbs	Cover	List Price 4-1-2024	TriCOM Charger Conventional 480VAC/3 Phase	TriCOM Charger Opportunity 480VAC/3 Phase	Multi-VAC Charger Conventional 208/240/480VAC 3 Phase
<b>CLASS II</b>																
<b>NOR22/NOR30 (13")</b> 31.00 x 13.00 x 30.88 - SB350 Red A/18 - C/20 -- 950 lbs	24	12-125-13 Tubular Flex AQUAsave	12-125TA-13	750	17.46	30.65	12.71	30.63	1212513-23113	235100004	1337	N	\$5,380	TriCOM 12-24/130	TriCOM 12-24/260	TriCOM FR 24V/120
		12-140-13 Tubular Flex EC	12-140TE-13	840	19.56	30.65	12.71	30.63	1212513-23113	210100004	1371	N	\$6,119	TriCOM 12-24/130	TriCOM 12-24/260	TriCOM FR 24V/140
<b>NOR30/NOR30P (15")</b> 36.75 x 14.50 x 32.25 - SB350 Red C/20 -- 1600 lbs	24	12-125-15 Tubular Flex AQUAsave	12-125TA-15	875	20.38	35.25	14	30.5	1212515-13514	235100005	1619	N	\$6,220	TriCOM 12-24/130	TriCOM 12-24/260	TriCOM FR 24V/140
		12-140-15 Tubular Flex EC	12-140TE-15	980	22.81	35.25	14	30.5	1212515-13514	210100005	1658	N	\$7,064	TriCOM 12-24/260	TriCOM 12-24/260	TriCOM FR 24V/160
<b>NOR30P</b> 38.62 x 14.00 x 30.88 - SB350 Red C/20 -- 1600 lbs	36	18-125-11 Tubular Flex AQUAsave	18-125TA-11	625	21.83	38.1	13.38	30.5	1812511-13813	235100016	1776	N	\$6,592	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 36V/100
		18-140-11 Tubular Flex EC	18-140TE-11	700	24.44	38.1	13.38	30.5	1812511-13813	210100016	1816	N	\$7,485	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 36V/120
<b>ND2500/NR3000/NR3500/NR4000/ NS3000/NS4000 (14")</b> 38.58 x 14.25 x 31.65 - SB350 Red B/25 -- 1600 lbs	24	12-125-17 Tubular Flex AQUAsave	12-125TA-17	1000	23.28	38.11	13.42	30.5	1212517-13813	235100007	1783	N	\$7,127	TriCOM 12-24/260	TriCOM 12-24/260	TriCOM FR 24V/160
		12-125-17 Tubular Flex EC	12-140TE-17	1120	26.08	38.11	13.42	30.5	1212517-13813	210100007	1818	N	\$8,092	TriCOM 12-24/260	TriCOM 12-24/300	TriCOM FR 24V/180
<b>NRDR25/NRDR30/NRR30/NRR35/NRR40 (14")</b> 38.67 x 14.25 x 31.65 - SB350 Red B/11 -- 1600 lbs	24	12-125-17 Tubular Flex AQUAsave	12-125TA-17	1000	23.28	38.11	13.42	30.5	1212517-13813	235100007	1783	N	\$7,127	TriCOM 12-24/260	TriCOM 12-24/260	TriCOM FR 24V/160
		12-125-17 Tubular Flex EC	12-140TE-17	1120	26.08	38.11	13.42	30.5	1212517-13813	210100007	1818	N	\$8,092	TriCOM 12-24/260	TriCOM 12-24/300	TriCOM FR 24V/180
<b>ND2500/NR3000/NS3000 (14")</b> 38.58 x 14.25 x 31.65 - SB350 Gray B/25 -- 1600 lbs	36	18-125-11 Tubular Flex AQUAsave	18-125TA-11	625	21.83	38.1	13.38	30.5	1812511-13813	235100016	1776	N	\$6,592	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 36V/100
		18-140-11 Tubular Flex EC	18-140TE-11	700	24.44	38.1	13.38	30.5	1812511-13813	210100016	1816	N	\$7,485	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 36V/120
<b>ND2500/ND3000/ND3000P/NR3000/NR3500/ NR4000/NR4500/NR4000P/NR4500P/NS3000/ NS4000 (16")</b> 38.58 x 16.25 x 31.65 - SB350 Gray B/25 -- 2000 lbs	36	18-125-13 Tubular Flex AQUAsave	18-125TA-13	750	26.19	38.1	15.6	30.5	1812513-13816	235100027	2061	N	\$7,633	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 36V/120
		18-140-13 Tubular Flex EC	18-140TE-13	840	29.34	38.1	15.6	30.5	1812513-13816	210100017	2113	N	\$8,660	TriCOM 12-48/130	TriCOM 12-48/260	TriCOM FR 36V/140
<b>NRDR25/NRDR30/NRDR25P/NRDR30P/NRR30/ NRR35/NRR40/NRR30P/NRR35P/NRR40P (16")</b> 38.67 x 16.25 x 31.65 - SB350 Gray B/11 -- 2000 lbs	36	18-125-13 Tubular Flex AQUAsave	18-125TA-13	750	26.19	38.1	15.6	30.5	1812513-13816	235100027	2061	N	\$7,633	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 36V/120
		18-140-13 Tubular Flex EC	18-140TE-13	840	29.34	38.1	15.6	30.5	1812513-13816	210100017	2113	N	\$8,660	TriCOM 12-48/130	TriCOM 12-48/260	TriCOM FR 36V/140
<b>ND3000/ND3000P/NR3500/NR4000/NR4500/ NR4000P/NR4500P/NS4000 (18")</b> 38.58 x 18.25 x 31.65 - SB350 Gray B/25 -- 2000 lbs	36	18-125-15 Tubular Flex AQUAsave	18-125TA-15	875	30.56	38.31	17.86	30.5	1812515-13818	235100029	2354	N	\$8,833	TriCOM 12-48/130	TriCOM 12-48/260	TriCOM FR 36V/140
		18-140-15 Tubular Flex EC	18-140TE-15	980	34.22	38.31	17.86	30.5	1812515-13818	210100018	2413	N	\$9,992	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/160
<b>ND3000P/NR4000/NR4500/NR4000P/ NR4500P (21")</b> 38.58 x 21.25 x 31.65 - SB350 Gray B/25 -- 2600 lbs	36	18-125-17 Tubular Flex AQUAsave	18-125TA-17	1000	34.92	38.27	20.1	30.5	1812517-13820	235100019	2686	N	\$9,900	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/160
		18-140-17 Tubular Flex EC	18-140TE-17	1120	39.11	38.27	20.1	30.5	1812517-13820	210100019	2737	N	\$11,234	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 36V/180
<b>NRDR25P/NRDR30P/NRR30P/NRR35P/ NRR40P/NRR45P (21")</b> 38.67 x 21.25 x 31.65 - SB350 Gray B/11 -- 2600 lbs	36	18-125-17 Tubular Flex AQUAsave	18-125TA-17	1000	34.92	38.27	20.1	30.5	1812517-13820	235100019	2686	N	\$9,900	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/160
		18-140-17 Tubular Flex EC	18-140TE-17	1120	39.11	38.27	20.1	30.5	1812517-13820	210100019	2737	N	\$11,234	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 36V/180

Truck Model Compartment Size - Connector Info	Volt	Battery Description	Model Number	Ah	Kwh	Length / Width / Height			Tray #	Item #	Lbs	Cover	List Price 4-1-2024	TriCOM Charger Conventional 480VAC/3 Phase	TriCOM Charger Opportunity 480VAC/3 Phase	Multi-VAC Charger Conventional 208/240/480VAC 3 Phase
<b>CLASS II</b>																
<b>NSR30/NSR40 (14")</b> 38.67 x 14.25 x 31.62 - SB350 Red B/11 -- 1600 lbs	24	12-125-17 Tubular Flex AQUAsave	12-125TA-17	1000	23.28	38.11	13.42	30.5	1212517-13813	235100007	1783	N	\$7,127	TriCOM 12-24/260	TriCOM 12-24/260	TriCOM FR 24V/160
		12-140-17 Tubular Flex EC	12-140TE-17	1120	26.08	38.11	13.42	30.5	1212517-13813	210100007	1818	N	\$8,092	TriCOM 12-24/260	TriCOM 12-24/300	TriCOM FR 24V/180
<b>NSR30P/NSR40P (16")</b> 38.67 x 16.25 x 31.62 - SB350 Gray B/11 -- 2000 lbs	36	18-125-13 Tubular Flex AQUAsave	18-125TA-13	750	26.19	38.1	15.6	30.5	1812513-13816	235100027	2061	N	\$7,633	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 36V/120
		18-140-13 Tubular Flex EC	18-140TE-13	840	29.34	38.1	15.6	30.5	1812513-13816	210100017	2113	N	\$8,660	TriCOM 12-48/130	TriCOM 12-48/260	TriCOM FR 36V/140
<b>NSR30/NSR40 (16")</b> 38.67 x 16.25 x 31.62 - SB350 Red B/11 -- 2000 lbs	24	12-125-19 Tubular Flex AQUAsave	12-125TA-19	1125	26.2	38.3	15.5	30.5	1212519-13816	235100030	2035	N	\$7,564	TriCOM 12-24/260	TriCOM 12-24/300	TriCOM FR 24V/180
		12-140-19 Tubular Flex EC	12-140TE-19	1260	29.33	38.3	15.5	30.5	1212519-13816	210100038	2078	N	\$8,092	TriCOM 12-24/260	TriCOM 12-24/300	TriCOM FR 24V/200
<b>NSR30P/NSR40P (21")</b> 38.67 x 21.25 x 31.62 - SB350 Gray B/11 -- 2600 lbs	36	18-125-17 Tubular Flex AQUAsave	18-125TA-17	1000	34.92	38.27	20.1	30.5	1812517-13820	235100019	2686	N	\$9,900	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/160
		18-140-17 Tubular Flex EC	18-140TE-17	1120	39.11	38.27	20.1	30.5	1812517-13820	210100019	2737	N	\$11,234	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 36V/180
<b>NPS60/NPS80</b> 31.50 x 13.44 x 24.00 - SB175 Gray B/18 -- 825 lbs	24	12-90-13 Tubular Flex AQUAsave	12-90TA-13	540	12.58	30.61	12.71	23.13	1209013-23113	235100003	991	Y	\$4,062	TriCOM 12-24/130	TriCOM 12-24/130	TriCOM FR 24V/100
		12-100-13 Tubular Flex EC	12-100TE-13	600	13.97	30.61	12.71	23.13	1209013-23113	210100003	1010	Y	\$4,533	TriCOM 12-24/130	TriCOM 12-24/260	TriCOM FR 24V/100
<b>EC15KS/EC18KS (13")</b> 38.50 x 13.62 x 32.30 - SB350 Gray C/16 -- 1600 lbs	36	18-125-11 Tubular Flex AQUAsave	18-125TA-11	625	21.83	38.1	13.38	30.5	1812511-13813	235100016	1776	N	\$6,592	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 36V/100
		18-140-11 Tubular Flex EC	18-140TE-11	700	24.44	38.1	13.38	30.5	1812511-13813	210100016	1816	N	\$7,485	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 24V/120
<b>EC15KS/EC18KS (16")</b> 38.50 x 16.25 x 32.30 - SB350 Gray C/16 -- 2000 lbs	36	18-125-13 Tubular Flex AQUAsave	18-125TA-13	750	26.19	38.1	15.6	30.5	1812513-13816	235100027	2061	N	\$7,633	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 24V/120
		18-140-13 Tubular Flex EC	18-140TE-13	840	29.34	38.1	15.6	30.5	1812513-13816	210100017	2113	N	\$8,660	TriCOM 12-48/130	TriCOM 12-48/260	TriCOM FR 36V/140
<b>EC15KS/EC18KS/EC20KS (18")</b> 38.50 x 18.50 x 32.30 - SB350 Gray C/16 -- 2300 lbs	36	18-125-15 Tubular Flex AQUAsave	18-125TA-15	875	30.56	38.31	17.86	30.5	1812515-13818	235100029	2354	N	\$8,833	TriCOM 12-48/130	TriCOM 12-48/260	TriCOM FR 36V/140
		18-140-15 Tubular Flex EC	18-140TE-15	980	34.22	38.31	17.86	30.5	1812515-13818	210100018	2413	N	\$9,992	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/160
<b>EC15K/EC18K/EC18KL (28")</b> 35.70 x 27.90 x 23.30 - SB350 Gray B/24 -- 1650 lbs	36	18-90-17 Tubular Flex AQUAsave	18-90TA-17 SQ	720	25.15	33.21	25.6	22.63	1809017-13326	235100009	2008	N	\$7,616	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 36V/120
		18-100-17 Tubular Flex EC	18-100TE-17 SQ	800	27.98	33.21	25.6	22.63	1809017-13326	210100009	2038	N	\$8,278	TriCOM 12-48/130	TriCOM 12-48/260	TriCOM FR 36V/140
		18-90-19 Tubular Flex AQUAsave	18-90TA-19	810	28.28	35.15	25.78	23.13	1809019-23526	235100010	2223	N	\$8,479	TriCOM 12-48/130	TriCOM 12-48/260	TriCOM FR 36V/120
		18-100-19 Tubular Flex EC	18-100TE-19	900	31.43	35.15	25.78	23.13	1809019-23526	210100010	2260	N	\$9,174	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/140
<b>EC15KS/EC18KS/EC20KS (21")</b> 38.50 x 21.25 x 32.30 - SB350 Gray C/16 -- 2000 lbs	36	18-125-17 Tubular Flex AQUAsave	18-125TA-17	1000	34.92	38.27	20.1	30.5	1812517-13820	235100019	2686	N	\$9,900	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/160
		18-140-17 Tubular Flex EC	18-140TE-17	1120	39.11	38.27	20.1	30.5	1812517-13820	210100019	2737	N	\$11,234	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 36V/180
<b>EC25KS</b> 38.50 x 23.75 x 32.30 - SB350 Gray C/16 -- 2700 lbs	36	18-125-19 Tubular Flex AQUAsave	18-125TE-19	1125	39.29	38.31	22.38	30.5	1812519-13822	235100059	2949	N	\$10,901	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 36V/180
		18-140-19 Tubular Flex EC	18-140TA-19	1260	43.99	38.31	22.38	30.5	1812519-13822	210100094	3014	N	\$12,378	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 36V/200
<b>ES3000, ES3500 (14")</b> 38.60 x 14.25 x 31.70 - SB350 Gray C/20 -- 1700 lbs	36	18-125-11 Tubular Flex AQUAsave	18-125TA-11	625	21.83	38.1	13.38	30.5	1812511-13813	235100016	1776	N	\$6,592	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 36V/100
		18-140-11 Tubular Flex EC	18-140TE-11	700	24.44	38.1	13.38	30.5	1812511-13813	210100016	1816	N	\$7,485	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 24V/120
<b>ES3000, ES3500 (16")</b> 38.60 x 16.25 x 31.70 - SB350 Gray C/20 -- 2000 lbs	36	18-125-13 Tubular Flex AQUAsave	18-125TA-13	750	26.19	38.1	15.6	30.5	1812513-13816	235100027	2061	N	\$7,633	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 36V/120
		18-140-13 Tubular Flex EC	18-140TE-13	840	29.34	38.1	15.6	30.5	1812513-13816	210100017	2113	N	\$8,660	TriCOM 12-48/130	TriCOM 12-48/260	TriCOM FR 36V/140
<b>ES3000, ES3500, ES4000 (18")</b> 38.60 x 18.25 x 31.70 - SB350 Gray C/20 -- 2300 lbs	36	18-125-15 Tubular Flex AQUAsave	18-125TA-15	875	30.56	38.31	17.86	30.5	1812515-13818	235100029	2354	N	\$8,833	TriCOM 12-48/130	TriCOM 12-48/260	TriCOM FR 36V/140
		18-140-15 Tubular Flex EC	18-140TE-15	980	34.22	38.31	17.86	30.5	1812515-13818	210100018	2413	N	\$9,992	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/160
<b>ES4000, ES5000, ES5500 (21")</b> 38.60 x 21.25 x 32.30 - SB350 Gray C/20 -- 2600 lbs	36	18-125-17 Tubular Flex AQUAsave	18-125TA-17	1000	34.92	38.27	20.1	30.5	1812517-13820	235100019	2686	N	\$9,900	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/160
		18-140-17 Tubular Flex EC	18-140TE-17	1120	39.11	38.27	20.1	30.5	1812517-13820	210100019	2737	N	\$11,234	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 36V/180
<b>ES5000, ES5500 (24")</b> 38.60 x 23.75 x 32.30 - SB350 Gray C/20 -- 2900 lbs	36	18-125-19 Tubular Flex AQUAsave	18-125TE-19	1125	39.29	38.31	22.38	30.5	1812519-13822	235100059	2949	N	\$10,901	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 36V/180
		18-140-19 Tubular Flex EC	18-140TA-19	1260	43.99	38.31	22.38	30.5	1812519-13822	210100094	3014	N	\$12,378	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 36V/200

Truck Model Compartment Size - Connector Info	Volt	Battery Description	Model Number	Ah	Kwh	Length / Width / Height	Tray #	Item #	lbs	Cover	List Price 4-1-2024	Tricom Charger Conventional 480VAC/3 Phase	Tricom Charger Opportunity 480VAC/3 Phase	Multi-VAC Charger Conventional 208/240/480VAC 3 Phase
<b>CLASS I</b>														
<b>EP15T/EP16KT/ET3000 (36V)</b> 39.20 x 20.60 x 24.40 - SB350 Gray B/24 - B/20 - B/20 -- 1900 lbs	36	18-90-17 Tubular Flex AQUAsave	18-90TA-17	720	25.15	38.21 19.92 22.63	1809017-13820	235100008	1939	N	\$7,616	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 36V/120
		18-100-17 Tubular Flex EC	18-100TE-17	800	27.98	38.21 19.92 22.63	1809017-13820	210100008	1969	N	\$8,278	TriCOM 12-48/130	TriCOM 12-48/260	TriCOM FR 36V/140
<b>EP15T/EP16KT/ET3000 (48V)</b> 39.20 x 20.60 x 24.40 - SB350 Gray B/24 - B/20 - B/20 -- 1900 lbs	48	24-90-13 Tubular Flex AQUAsave	24-90TA-13	540	25.15	37.99 20.49 22.63	2409013-13820	235100020	1932	N	\$7,782	TriCOM 12-48/130	TriCOM 12-48/130	TriCOM FR 48V/100
		24-100-13 Tubular Flex EC	24-100TE-13	600	27.94	37.99 20.49 22.63	2409013-13820	210100020	1971	N	\$8,420	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 48V/100
<b>EP18T/EP20T (36V)</b> 39.20 x 24.90 x 24.40 - SB350 Gray D/30 -- 2200 lbs	36	18-90-21 Tubular Flex AQUAsave	18-90TA-21	900	31.43	38.21 24.53 22.63	1809021-13825	235100011	2401	N	\$9,500	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/140
		18-100-21 Tubular Flex EC	18-100TE-21	1000	34.92	38.21 24.53 22.63	1809021-13825	210100011	2446	N	\$10,104	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/160
<b>EP18KT/EP20KT/ET3500/ET4000 (36V)</b> 40.20 x 24.90 x 24.80 - SB350 Gray B/20 -- 2200 lbs	36	18-90-21 Tubular Flex AQUAsave	18-90TA-21	900	31.43	38.21 24.53 22.63	1809021-13825	235100011	2401	N	\$9,500	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/140
		18-100-21 Tubular Flex EC	18-100TE-21	1000	34.92	38.21 24.53 22.63	1809021-13825	210100011	2446	N	\$10,104	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/160
<b>EP18T/EP20T (48V)</b> 39.20 x 24.90 x 24.40 - SB350 Gray D/30 -- 2200 lbs	48	24-90-15 Tubular Flex AQUAsave	24-90TA-15	630	29.33	38.27 23.5 22.63	2409015-13823	235100078	2215	N	\$9,003	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 48V/100
		24-100-15 Tubular Flex EC	24-100TE-15	700	32.59	38.27 23.5 22.63	2409015-13823	210100068	2261	N	\$9,632	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 48V/120
<b>EP18KT/EP20KT/ET3500/ET4000 (48V)</b> 40.20 x 24.90 x 24.80 - SB350 Gray or SB350 Blue B/20 -- 2200 lbs	48	24-90-15 Tubular Flex AQUAsave	24-90TA-15	630	29.33	38.27 23.5 22.63	2409015-13823	235100078	2215	N	\$9,003	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 48V/100
		24-100-15 Tubular Flex EC	24-100TE-15	700	32.59	38.27 23.5 22.63	2409015-13823	210100068	2261	N	\$9,632	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 48V/120
<b>F25, F30 (36V)</b> 39.50 x 20.60 x 24.40 - SB350 Gray D/30 -- 1900 lbs	36	18-90-17 Tubular Flex AQUAsave	18-90TA-17	720	25.15	38.21 19.92 22.63	1809017-13820	235100008	1939	N	\$7,616	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 36V/120
		18-100-17 Tubular Flex EC	18-100TE-17	800	27.98	38.21 19.92 22.63	1809017-13820	210100008	1969	N	\$8,278	TriCOM 12-48/130	TriCOM 12-48/260	TriCOM FR 36V/140
<b>F25, F30 (48V)</b> 39.50 x 20.60 x 24.40 - SB350 Gray D/30 -- 1900 lbs	48	24-90-13 Tubular Flex AQUAsave	24-90TA-13	540	25.15	37.99 20.49 22.63	2409013-13820	235100020	1932	N	\$7,782	TriCOM 12-48/130	TriCOM 12-48/130	TriCOM FR 48V/100
		24-100-13 Tubular Flex EC	24-100TE-13	600	27.94	37.99 20.49 22.63	2409013-13820	210100020	1971	N	\$8,420	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 48V/100
<b>F35, F40 (36V)</b> 39.60 x 24.90 x 24.40 - SB350 Gray D/30 -- 2200 lbs	36	18-90-21 Tubular Flex AQUAsave	18-90TA-21	900	31.43	38.21 24.53 22.63	1809021-13825	235100011	2401	N	\$9,500	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/140
		18-100-21 Tubular Flex EC	18-100TE-21	1000	34.92	38.21 24.53 22.63	1809021-13825	210100011	2446	N	\$10,104	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/160
<b>F35, F40 (48V)</b> 39.60 x 24.90 x 24.40 - SB350 Gray D/30 -- 2200 lbs	48	24-90-15 Tubular Flex AQUAsave	24-90TA-15	630	29.33	38.27 23.5 22.63	2409015-13823	235100078	2215	N	\$9,003	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 48V/100
		24-100-15 Tubular Flex EC	24-100TE-15	700	32.59	38.27 23.5 22.63	2409015-13823	210100068	2261	N	\$9,632	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 48V/120
<b>F50D/F50DSA/F60D/F60DSA (36V/24")</b> 45.50 x 41.30 x 24.10 - SB350 Gray D/30 -- 3350 lbs	36	18-90-33 Tubular Flex AQUAsave	18-90TA-33	1440	50.29	38.37 38.7 22.63	1809033-13838	235100036	3722	N	\$14,228	TriCOM 12-48/260	TriCOM 12-48/300	TriCOM FR 36V/220
		18-100-33 Tubular Flex EC	18-100TE-33	1600	55.87	38.37 38.7 22.63	1809033-13838	210100034	3805	N	\$15,320	TriCOM 12-48/260	TriCOM 12-48/300	TriCOM FR 36V/220
<b>F40DSA/F50D/F50DSA/F60DSA (48V/24")</b> 45.50 x 41.30 x 24.10 - SB350 Gray D/30 -- 3350 lbs	48	24-90-29 Tubular Flex AQUAsave	24-90TA-29	1260	58.36	44.73 38.21 22.63	2409029-14538	235100081	4350	N	\$16,357	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 48V/200
		24-100-29 Tubular Flex EC	24-100TE-29	1400	64.85	44.73 38.21 22.63	2409029-14538	210100076	4440	N	\$17,699	TriCOM 12-48/260	TriCOM 12-48/300	TriCOM FR 48V/200
<b>EC15/EC18/EC15N/EC18N/EC15K/EC18K/EC18LN/ 2EC15/2EC18/EC18KL/E3000/E3500/EC4000 (36V)</b> 35.80 x 27.80 x 23.30 - SB350 Gray B/24 -- 1650 lbs	36	18-90-19 Tubular Flex AQUAsave	18-90TA-19	810	28.14	35.15 25.78 23.13	1809017-13526	235100010	2223	N	\$8,479	TriCOM 12-48/130	TriCOM 12-48/260	TriCOM FR 36V/120
		18-100-19 Tubular Flex EC	18-100TE-19	900	31.27	35.15 25.78 23.13	1809017-13526	210100010	2260	N	\$9,174	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/140
<b>EC15/EC18/EC15N/EC18N/EC15K/EC18K/EC18LN/ 2EC15/2EC18/EC18KL/E3000/E3500/EC4000 (48V)</b> 35.80 x 27.80 x 23.30 - SB350 Gray B/24 -- 1650 lbs	48	24-90-15 Tubular Flex AQUAsave	24-90TA-15	630	29.33	35.57 25.92 22.63	2409015-13626	235100089	2241	N	\$9,003	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 48V/100
		24-100-15 Tubular Flex EC	24-100TE-15	700	32.59	35.57 25.92 22.63	2409015-13626	210100072	2287	N	\$9,632	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 48V/120

Truck Model Compartment Size - Connector Info	Volt	Battery Description	Model Number	Ah	Kwh	Length / Width / Height			Tray #	Item #	Lbs	Cover	List Price 4-1-2024	TriCOM Charger Conventional 480VAC/3 Phase	TriCOM Charger Opportunity 480VAC/3 Phase	Multi-VAC Charger Conventional 208/240/480VAC 3 Phase
<b>CLASS I</b>																
<b>EC20/EC25/EC22N2/EC23N/EC25N/EC25N2/ 2EC20/2EC25/E4000/E5000/EC20K/EC22N2/ EC25N2/EC25K (36V)</b> 39.90 x 30.50 x 23.30 - SB350 Gray B/24 -- 2600 lbs	36	18-90-25 Tubular Flex AQUAsave	18-90TA-25	1080	37.52	38.21	29.21	22.63	1809025-13829	235100013	2836	N	\$10,997	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/120
		18-100-25 Tubular Flex EC	18-100TE-25	1200	41.69	38.21	29.21	22.63	1809025-13829	210100013	2896	N	\$11,900	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 36V/180
<b>EC20/EC25/EC22N2/EC23N/EC25N/EC25N2/ 2EC20/2EC25/E4000/E5000/EC20K/EC22N2/ EC25N2/EC25K (48V)</b> 39.90 x 30.50 x 23.30 - SB350 Gray B/24 -- 2600 lbs	48	24-90-19 Tubular Flex AQUAsave	24-90TA-19	810	37.71	38.28	29.61	22.63	2409019-13830	235100022	2881	N	\$11,333	TriCOM 12-48/130	TriCOM 12-48/260	TriCOM FR 48V/120
		24-100-19 Tubular Flex EC	24-100TE-19	900	41.9	38.28	29.61	22.63	2409019-13830	210100022	2931	N	\$12,244	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 48V/140
<b>EC25EN/EC25LN/2EC25E/2EC30/E6000/E6500/EC25E/E C30/EC30N/EC30LN/EC25EN2/EC25LN2/ EC25KE/EC25KL/EC30K/EC30N2/EC30LN2 (36V)</b> 39.90 x 34.40 x 23.30 - SB350 Gray B/24 -- 3100 lbs	36	18-90-29 Tubular Flex AQUAsave	18-90TA-29	1260	43.99	38.33	33.79	22.63	1809029-13834	235100015	3287	N	\$12,649	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 36V/200
		18-100-29 Tubular Flex EC	18-100TE-29	1400	48.89	38.33	33.79	22.63	1809029-13834	210100015	3354	N	\$13,667	TriCOM 12-48/260	TriCOM 12-48/300	TriCOM FR 36V/220
<b>EC25EN/EC25LN/2EC25E/2EC30/E6000/E6500/EC25E/E C30/EC30N/EC30LN/EC25EN2/EC25LN2/ EC25KE/EC25KL/EC30K/EC30N2/EC30LN2 (48V)</b> 39.90 x 34.40 x 23.30 - SB350 Gray B/24 -- 3100 lbs	48	24-90-21 Tubular Flex AQUAsave	24-90TA-21	900	41.9	38.22	32.61	22.63	2409021-13833	235100023	3163	N	\$12,217	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 48V/140
		24-100-21 Tubular Flex EC	24-100TE-21	1000	46.56	38.22	32.61	22.63	2409021-13833	210100023	3223	N	\$13,219	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 48V/160
<b>EC40N (48V)</b> 39.06 x 34.12 x 22.81 - SB350 Gray B/24 -- 3351 lbs	48	24-90-21 Tubular Flex AQUAsave	24-90TA-21	900	41.9	38.21	33.71	22.63	2409021-13834	235100214	3380	N	\$12,217	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 48V/140
		24-100-21 Tubular Flex EC	24-100TE-21	1000	46.56	38.21	33.71	22.63	2409021-13834	210100196	2450	N	\$13,219	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 48V/160
<b>E6000/E6500 (48V)</b> 39.50 x 34.40 x 23.30 - SB350 Blue B/24 -- 3100 lbs	48	24-90-21 Tubular Flex AQUAsave	24-90TA-21	900	41.9	38.22	32.61	22.63	2409021-13833	235100023	3163	N	\$12,217	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 48V/140
		24-100-21 Tubular Flex EC	24-100TE-21	1000	46.56	38.22	32.61	22.63	2409021-13833	210100023	3223	N	\$13,219	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 48V/160
<b>M025/M030/M035D/ (36V)</b> 34.50 x 28.00 x 24.13 - SB350 Gray B/18 -- 1800 lbs	36	18-90-17 Tubular Flex AQUAsave	18-90TA-17	720	25.15	33.21	25.6	22.63	1809017-13326	235100009	2008	N	\$7,616	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 36V/120
		18-100-17 Tubular Flex EC	18-100TE-17	800	27.98	33.21	25.6	22.63	1809017-13326	210100009	2038	N	\$8,278	TriCOM 12-48/130	TriCOM 12-48/260	TriCOM FR 36V/140
<b>M025/M030/M035D (48V)</b> 34.50 x 28.00 x 24.13 - SB350 Gray B/18 -- 1800 lbs	48	24-90-13 Tubular Flex AQUAsave	24-90TA-13	540	25.15	30.92	25.62	22.62	2409013-13126	235100052	1981	N	\$7,782	TriCOM 12-48/130	TriCOM 12-48/130	TriCOM FR 48V/100
		24-100-13 Tubular Flex EC	24-100TE-13	600	27.94	30.92	25.62	22.62	2409013-13126	210100052	2020	N	\$8,420	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 48V/100
<b>M040D/M040DSA (36V)</b> 40.20 x 30.50 x 23.60 - SB350 Gray B/18 -- 2400 lbs	36	18-90-25 Tubular Flex AQUAsave	18-90TA-25	1080	37.52	38.21	29.21	22.63	1809025-13829	235100013	2836	N	\$10,997	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/120
		18-100-25 Tubular Flex EC	18-100TE-25	1200	41.69	38.21	29.21	22.63	1809025-13829	210100013	2896	N	\$11,900	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 36V/180
<b>M040D/M040DSA (48V)</b> 40.20 x 30.50 x 23.60 - SB350 Gray B/18 -- 2400 lbs	48	24-90-19 Tubular Flex AQUAsave	24-90TA-19	810	37.71	38.28	29.61	22.63	2409019-13830	235100022	2881	N	\$11,333	TriCOM 12-48/130	TriCOM 12-48/260	TriCOM FR 48V/120
		24-100-19 Tubular Flex EC	24-100TE-19	900	41.9	38.28	29.61	22.63	2409019-13830	210100022	2931	N	\$12,244	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 48V/140
<b>M050D/M050DSA (36V)</b> 40.20 x 33.30 x 23.60 - SB350 Gray B/18 -- 2950 lbs	36	18-90-27 Tubular Flex AQUAsave	18-90TA-27	1170	40.86	38.21	31.35	22.63	1809027-13831	235100014	3050	N	\$11,830	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 36V/180
		18-100-27 Tubular Flex EC	18-100TE-27	1300	45.4	38.21	31.35	22.63	1809027-13831	210100014	3097	N	\$12,801	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 36V/200
<b>M050D/M050DSA/M060DSA (48V)</b> 40.20 x 33.30 x 23.60 - SB350 Gray B/18 -- 2950 lbs	48	24-90-21 Tubular Flex AQUAsave	24-90TA-21	900	41.9	38.22	32.61	22.63	2409021-13833	235100023	3163	N	\$12,217	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 48V/140
		24-100-21 Tubular Flex EC	24-100TE-21	1000	46.56	38.22	32.61	22.63	2409021-13833	210100023	3223	N	\$13,219	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 48V/160
<b>M060DSA (36V)</b> 40.20 x 34.40 x 23.60 - SB350 Gray B/18 -- 3060 lbs	36	18-90-29 Tubular Flex AQUAsave	18-90TA-29	1260	43.99	38.33	33.79	22.63	1809029-13834	235100015	3287	N	\$12,649	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 36V/200
		18-100-29 Tubular Flex EC	18-100TE-29	1400	48.89	38.33	33.79	22.63	1809029-13834	210100015	3354	N	\$13,667	TriCOM 12-48/260	TriCOM 12-48/300	TriCOM FR 36V/220
<b>M070D/M080D/M100D/M120D (36V)</b> 43.30 x 40.50 x 24.00 - SB350 Gray B/30 -- 3600 lbs	36	18-90-33 Tubular Flex AQUAsave	18-90TA-33	1440	50.29	38.37	38.7	22.63	1809033-13838	235100036	3722	N	\$14,228	TriCOM 12-48/260	TriCOM 12-48/300	TriCOM FR 36V/220
		18-100-33 Tubular Flex EC	18-100TE-33	1600	55.87	38.37	38.7	22.63	1809033-13838	210100034	3805	N	\$15,320	TriCOM 12-48/260	TriCOM 12-48/300	TriCOM FR 36V/220
<b>M070D/M080D/M100D/M120D (48V)</b> 43.30 x 40.50 x 24.00 - SB350 Gray B/30 -- 3600 lbs	48	24-90-27 Tubular Flex AQUAsave	24-90TA-27	1170	54.19	41.73	38.32	22.69	2409027-14238	235100175	4028	N	\$15,309	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 48V/180
		24-100-27 Tubular Flex EC	24-100TE-27	1300	60.22	41.73	38.32	22.69	2409027-14238	210100095	4118	N	\$16,571	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 48V/200
<b>E7000/E8000/E10000/E12000/ (36V)</b> 46.10 x 40.60 x 24.30 - SB350 Gray B/30 -- 3400 lbs	36	18-90-33 Tubular Flex AQUAsave	18-90TA-33	1440	50.29	38.37	38.7	22.63	1809033-13838	235100036	3722	N	\$14,228	TriCOM 12-48/260	TriCOM 12-48/300	TriCOM FR 36V/220
		18-100-33 Tubular Flex EC	18-100TE-33	1600	55.87	38.37	38.7	22.63	1809033-13838	210100034	3805	N	\$15,320	TriCOM 12-48/260	TriCOM 12-48/300	TriCOM FR 36V/220
<b>E7000/E8000/E10000/E12000 (48V)</b> 46.10 x 40.60 x 24.30 - SB350 Gray B/30 -- 3400 lbs	48	24-90-29 Tubular Flex AQUAsave	24-90TA-29	1260	58.36	44.73	38.21	22.63	2409029-14538	235100081	4350	N	\$16,357	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 48V/200
		24-100-29 Tubular Flex EC	24-100TE-29	1400	64.85	44.73	38.21	22.63	2409029-14538	210100076	4440	N	\$17,699	TriCOM 12-48/260	TriCOM 12-48/300	TriCOM FR 48V/200

Truck Model Compartment Size - Connector Info	Volt	Battery Description	Model Number	Ah	Kwh	Length / Width / Height			Tray #	Item #	lbs	Cover	List Price 4-1-2024	TriCOM Charger Conventional 480VAC/3 Phase	TriCOM Charger Opportunity 480VAC/3 Phase	Multi-VAC Charger Conventional 208/240/480VAC 3 Phase
<b>CLASS I</b>																
<b>2ET2500 (36V) (*New Tray)</b> 32.68 x 20.55 x 24.69 - Euro320 Black A/16 -- 1576 lbs	36	18-90-13 Tubular Flex AQUAsave	18-90TA-13	540	50.29	32.44	20.44	22.75	1809013-13220		1576	N		TriCOM 12-48/130	TriCOM 12-48/130	TriCOM FR 36V/100
		18-100-13 Tubular Flex EC	18-100TE-13	600	55.87	32.44	20.44	22.75	1809013-13220		1576	N		TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 36V/100
<b>2ET2500 (48V)</b> 32.68 x 20.55 x 24.69 - Euro320 Black A/16 -- 1497 lbs	48	24-90-09 Tubular Flex AQUAsave	24-90TA-09	360	16.68	32.44	20.44	22.75	2409009-13220	235100139	1509	N	\$6,322	TriCOM 12-48/65	TriCOM 12-48/130	TriCOM FR 48V/100
		24-100-09 Tubular Flex EC	24-100TE-09	400	18.53	32.44	20.44	22.75	2409009-13220	210100117	1526	N	\$6,666	TriCOM 12-48/65	TriCOM 12-48/130	TriCOM FR 48V/100
		48V 4 TPz5 460 Tubular Flex	DIN 48V 4 TPz5 460	460	17.05	32.56	20.43	24.68		200124159	1561	N	\$9,989	TriCOM 12-48/65	TriCOM 12-48/130	TriCOM FR 48V/100
<b>2ET3000/2ET3500/2ET4000/EP3000/EP3500/EP4000 (36V)</b> 32.68 x 29.06 x 24.69 - Euro320 Black A/16 -- 2147 lbs	36	18-90-19 Tubular Flex AQUAsave	18-90TA-19	810	28.28	32.06	29.06	22.63	1809019-13229	235100090	2217	N	\$8,479	TriCOM 12-48/130	TriCOM 12-48/260	TriCOM FR 36V/120
		18-100-19 Tubular Flex EC	18-100TE-19	900	31.43	32.06	29.06	22.63	1809019-13229	210100070	2255	N	\$9,174	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 36V/140
<b>2ET3000/2ET3500/2ET4000/EP3000/EP3500/EP4000 (48V)</b> 32.68 x 29.06 x 24.69 - Euro320 Black A/16 -- 2147 lbs	48	24-90-13 Tubular Flex AQUAsave	24-90TA-13	540	25.15	32.44	28.84	22.63	2409013-13229+250	235100055	2299	N	\$8,811	TriCOM 12-48/130	TriCOM 12-48/130	TriCOM FR 48V/100
		24-100-13 Tubular Flex EC	24-100TE-13	600	27.94	32.44	28.84	22.63	2409013-13229+250	210100060	2338	N	\$9,450	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 48V/100
		48V 6 TPz5 750 Tubular Flex	DIN 48V 6 TPz5 750	750	27.8	32.56	28.94	24.68		200120056	2233	N	\$10,560	TriCOM 12-48/130	TriCOM 12-48/130	TriCOM FR 48V/120
<b>2ETC3000/2ETC3500/EP3000/EP3500 (36V)</b> 32.68 x 24.80 x 24.69 - Euro320 Black A/16 -- 1791 lbs	36	18-90-15 Tubular Flex AQUAsave	18-90TA-15	630	21.89	32.44	24.44	22.63	1809015-13324	235100079	1844	N	\$6,847	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 36V/100
		18-100-15 Tubular Flex EC	18-100TE-15	700	24.32	32.44	24.44	22.63	1809015-13324	210100071	1878	N	\$7,359	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 36V/100
		24-90-11 Tubular Flex AQUAsave	24-90TA-11	450	20.84	32.44	24.75	22.63	2409011-13225	235100105	1916	N	\$7,050	TriCOM 12-48/65	TriCOM 12-48/130	TriCOM FR 48V/100
<b>2ETC3000/2ETC3500/EP3000/EP3500 (48V)</b> 32.68 x 24.80 x 24.69 - Euro320 Black A/16 -- 1791 lbs	48	24-100-11 Tubular Flex EC	24-100TE-11	500	23.16	32.44	24.75	22.63	2409011-13225	210100065	1945	N	\$7,632	TriCOM 12-48/130	TriCOM 12-48/130	TriCOM FR 48V/100
		48V 5 TPz5 625 Tubular Flex	DIN 48V 5 TPz5 625	625	23.2	32.56	24.68	24.68		200120054	1887	N	\$10,053	TriCOM 12-48/130	TriCOM 12-48/195	TriCOM FR 48V/100
		18-90-29 Tubular Flex AQUAsave	18-90TA-29	1260	43.99	38.33	33.79	22.63	1809029-13834	235100015	3287	N	\$12,649	TriCOM 12-48/195	TriCOM 12-48/300	TriCOM FR 36V/200
<b>EX5000, E5500 (36V)</b> 39.50 x 34.40 x 23.30 - S8350 Gray B/24 -- 3100 lbs	36	18-100-29 Tubular Flex EC	18-100TE-29	1400	48.89	38.33	33.79	22.63	1809029-13834	210100015	3354	N	\$13,667	TriCOM 12-48/260	TriCOM 12-48/300	TriCOM FR 36V/200
		24-90-21 Tubular Flex AQUAsave	24-90TA-21	900	41.9	38.22	32.61	22.63	2409021-13833	235100023	3163	N	\$12,217	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 48V/140
<b>EX5000, E5500 (48V)</b> 39.50 x 34.40 x 23.30 - S8350 Gray B/24 -- 3100 lbs	48	24-100-21 Tubular Flex EC	24-100TE-21	1000	46.56	38.22	32.61	22.63	2409021-13833	210100023	3223	N	\$13,219	TriCOM 12-48/195	TriCOM 12-48/260	TriCOM FR 48V/160
		40-125-11 Tubular Flex AQUAsave	40-125TA-11	625	48.52	40.3	33.3	30.31	4012511-14033	235100070	4072	N	\$15,806	TriCOM 12-80/120	TriCOM 12-80/160	TriCOM FR 80V/100
<b>EP40N/EP45N/EP50CN</b> 40.47 x 33.66 x 30.87 - Euro320 Black A/B/16 -- 3902 lbs	80	40-140-11 Tubular Flex EC	40-140TE-11	700	54.32	40.3	33.3	30.31	4012511-14033	210100054	4161	N	\$17,753	TriCOM 12-80/120	TriCOM 12-80/200	TriCOM FR 80V/100
		80V 5 TPz5 775 Tubular Flex	DIN 80V 5 TPz5 775	775	47.9	40.35	33.54	30.87		200120041	4107	N	\$18,498	TriCOM 12-80/120	TriCOM 12-80/200	TriCOM FR 80V/120
		40-125-11 Tubular Flex AQUAsave	40-125TA-11	625	48.52	39.97	32.94	30.31	4012511-14033	235100070	4072	N	\$15,806	TriCOM 12-80/120	TriCOM 12-80/160	TriCOM FR 80V/100
<b>EP5000/EP6000/EP7000/2EP5000/2EP6000/2EP6500</b> 40.47 x 33.66 x 30.87 - Euro320 Black A/16 -- 3902 lbs	80	40-140-11 Tubular Flex EC	40-140TE-11	700	54.32	39.97	32.94	30.31	4012511-14033	210100054	4161	N	\$17,753	TriCOM 12-80/120	TriCOM 12-80/200	TriCOM FR 80V/100
		80V 5 TPz5 775 Tubular Flex	DIN 80V 5 TPz5 775	775	47.9	40.35	33.54	30.87		200120041	4107	N	\$18,498	TriCOM 12-80/120	TriCOM 12-80/200	TriCOM FR 80V/120
		40-125-11 Tubular Flex AQUAsave	40-125TA-11	625	48.52	40.3	33.3	30.31	4012511-14033	235100070	4072	N	\$15,806	TriCOM 12-80/120	TriCOM 12-80/160	TriCOM FR 80V/100
<b>2EPC7000/2EPC8000/2EPC9000</b> 40.47 x 33.66 x 30.87 - Euro320 Black B/16 -- 3902 lbs	80	40-140-11 Tubular Flex EC	40-140TE-11	700	54.32	40.3	33.3	30.31	4012511-14033	210100054	4161	N	\$17,753	TriCOM 12-80/120	TriCOM 12-80/200	TriCOM FR 80V/100
		80V 5 TPz5 775 Tubular Flex	DIN 80V 5 TPz5 775	775	47.9	40.35	33.54	30.87		200120041	4107	N	\$18,498	TriCOM 12-80/120	TriCOM 12-80/200	TriCOM FR 80V/120
		40-125-13 Tubular Flex AQUAsave	40-125TA-13	750	58.2	39.97	39.33	30.31	4012513-14039	235100097	4766	N	\$18,552	TriCOM 12-80/120	TriCOM 12-80/200	TriCOM FR 80V/120
<b>EP50N/EP50NH/EP55NH</b> 40.47 x 39.33 x 30.87 - Euro320 Black A/B/16 -- 4562 lbs	80	40-140-13 Tubular Flex EC	40-140TE-13	840	65.2	39.97	39.33	30.31	4012513-14039	210100097	4880	N	\$20,826	TriCOM 12-80/120	TriCOM 12-80/200	TriCOM FR 80V/120
		80V 6 TPz5 930 Tubular Flex	DIN 80V 6 TPz5 930	930	57.4	40.35	39.21	30.87		200120057	4801	N	\$21,460	TriCOM 12-80/160	TriCOM 12-80/240	TriCOM FR 80V/140
		40-125-13 Tubular Flex AQUAsave	40-125TA-13	750	58.2	39.97	39.33	30.31	4012513-14039	235100097	4766	N	\$18,552	TriCOM 12-80/120	TriCOM 12-80/200	TriCOM FR 80V/120
<b>EP8000/EP9000/EP10000</b> 40.47 x 39.33 x 30.87 - Euro320 Black A/16 -- 4562 lbs	80	40-140-13 Tubular Flex EC	40-140TE-13	840	65.2	39.97	39.33	30.31	4012513-14039	210100097	4880	N	\$20,826	TriCOM 12-80/120	TriCOM 12-80/200	TriCOM FR 80V/120
		80V 6 TPz5 930 Tubular Flex	DIN 80V 6 TPz5 930	930	57.4	40.35	39.21	30.87		200120057	4801	N	\$21,460	TriCOM 12-80/160	TriCOM 12-80/240	TriCOM FR 80V/140
		40-125-13 Tubular Flex AQUAsave	40-125TA-13	750	58.2	39.97	39.33	30.31	4012513-14039	235100097	4766	N	\$18,552	TriCOM 12-80/120	TriCOM 12-80/200	TriCOM FR 80V/120
<b>2EP8000/2EP8500/2EP9000/2EP10000/2EP11000</b> 40.47 x 39.33 x 30.87 - Euro320 Black B/16 -- 4562 lbs	80	40-140-13 Tubular Flex EC	40-140TE-13	840	65.2	39.97	39.33	30.31	4012513-14039	210100097	4880	N	\$20,826	TriCOM 12-80/120	TriCOM 12-80/200	TriCOM FR 80V/120
		80V 6 TPz5 930 Tubular Flex	DIN 80V 6 TPz5 930	930	57.4	40.35	39.21	30.87		200120057	4801	N	\$21,460	TriCOM 12-80/160	TriCOM 12-80/240	TriCOM FR 80V/140
		40-125-09 Tubular Flex AQUAsave	40-125TA-09	500	38.8	40.35	27.68	30.75	4012509-14028	235100028	3447	N	\$13,639	TriCOM 12-80/80	TriCOM 12-80/120	TriCOM FR 80V/80
<b>EPC5000/2EPC5000/2EPC6000</b> 40.47 x 27.99 x 30.87 - Euro320 Black A/16 -- 3263 lbs	80	40-140-09 Tubular Flex EC	40-140TE-09	560	43.44	40.35	27.68	20.75	4012509-14028	210100036	3506	N	\$15,345	TriCOM 12-80/80	TriCOM 12-80/160	TriCOM FR 80V/80
		80V 4 TPz5 620 Tubular Flex	DIN 80V 4 TPz5 620	620	38.3	40.35	27.87	30.87		200120042	3435	N	\$15,549	TriCOM 12-80/120	TriCOM 12-80/160	TriCOM FR 80V/100